

Air Essentials -Orange Slice

SDS Number: AE60A

Revision Date: 4/19/2022

Page 1 of 14

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Wechem, Inc
5734 Susitna Dr
Harahan, LA 70123

Contact: Ligia M. Hernandez
Phone: 504-733-1152
Fax: 504-733-2218
Web: www.wechem.com

Product Identifier: Air Essentials -Orange Slice
SDS Number: AE60A
Product Code: AE60
Revision Date: 4/19/2022
Product Use: Metered Air Freshener

Emergency Telephone Number:
INFOTRAC
1-800-535-5053

2

HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Flammable Aerosols, 1
Health, Serious Eye Damage/Eye Irritation, 2 A
Health, Specific target organ toxicity - Single exposure, 3

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: DANGER

GHS Hazard Pictograms:



GHS Hazard Statements:

H222 - Extremely flammable aerosol
H319 - Causes serious eye irritation
H336 - May cause drowsiness or dizziness

GHS Precautionary Statements:

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking
P211 - Do not spray on an open flame or other ignition source.
P251 - Pressurized container: Do not pierce or burn, even after use.
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 - Wash thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P301+310 - IF SWALLOWED: Contact a POISON CENTER or doctor/physician.
P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+312 - IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P312 - Call a POISON CENTER/doctor/ if you feel unwell.

Air Essentials -Orange Slice

SDS Number: AE60A

Revision Date: 4/19/2022

Page 2 of 14

- P337 + P313 - If eye irritation persists: Get medical advice/attention.
- P403 - Store in a well ventilated place.
- P405 - Store locked up.
- P410 - Protect from sunlight.
- P412 - Do not expose to temperatures exceeding 50 °C/122 °F
- P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

- Route of Entry:** Ingestion, skin absorption, eye, inhalation
- Target Organs:** May cause narcotic effects.
- Inhalation:** Prolonged inhalation may be harmful. Narcotic effects. Intentional misuse by concentrating and inhaling the product can be harmful or fatal.
- Skin Contact:** Prolonged contact may cause temporary irritation.
- Eye Contact:** Cause serious eye irritation.
- Ingestion:** Expected to be a low ingestion hazard.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Ingredients:		
CAS#	%	Chemical Name:
67-64-1	50-100%	2-Propanone
74-98-6	10-20%	Propane
106-97-8	10-20%	Butane
8016-20-4	0.1-1%	Oils, grapefruit
68917-32-8	0.1-1%	Terpenes and Terpenoids, grapefruit-oil
77-83-8	0.1-1%	Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester
142-19-8	0.1-1%	Heptanoic acid, 2-propenyl ester

4 FIRST AID MEASURES

- Inhalation:** Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if symptoms develop or persist.
- Skin Contact:** Wash off with soap and water. Get medical attention if irritation develops and persists.
- Eye Contact:** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.
- Ingestion:** In the unlikely event of swallowing, contact a physician or poison control center. Rinse mouth.

5 FIRE FIGHTING MEASURES

- Flammability:** Extremely flammable aerosol
- Flash Point:** -156 Deg F (-104.44 Deg C) Propellant estimated

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

Suitable Extinguishing media: . Use fire-extinguishing media appropriate for surrounding materials.
 Unsuitable extinguishing: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: Vapors may travel considerable distance to a source of ignition and flash back.

Unusual Fire & Explosion Hazard: Contents under pressure. Pressurized container may explode when exposed to heat or flame.

Special Fire fighting procedures: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Air Essentials -Orange Slice

SDS Number: AE60A

Revision Date: 4/19/2022

Page 3 of 14

Extremely flammable aerosol.

6	ACCIDENTAL RELEASE MEASURES
----------	------------------------------------

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Refer to attached safety data sheets and/or instructions for use. ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Collect spillage. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7	HANDLING AND STORAGE
----------	-----------------------------

Handling Precautions: Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

Level 3 Aerosol

Storage Requirements: Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Level 3 Aerosol.

8	EXPOSURE CONTROLS/PERSONAL PROTECTION
----------	--

Engineering Controls: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established maintain airborne levels to an acceptable level. Provide eyewash station.

Personal Protective Equipment: Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection Hand Protection: Use chemical resistant gloves if hand contact will be made.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

2-Propanone cas#:(67-64-1) [50-100%]

Components with workplace control parameters

Air Essentials -Orange Slice

SDS Number: AE60A

Revision Date: 4/19/2022

Page 4 of 14

TWA 500 ppm USA. ACGIH Threshold Limit Values
(TLV)

Eye & Upper Respiratory Tract irritation
Central Nervous System impairment
Hematologic effects
Substances for which there is a Biological Exposure Index or Indices
(see BEI section)
Not classifiable as a human carcinogen

STEL 750 ppm USA. ACGIH Threshold Limit Values
(TLV)

Eye & Upper Respiratory Tract irritation
Central Nervous System impairment
Hematologic effects
Substances for which there is a Biological Exposure Index or Indices
(see BEI section)
Not classifiable as a human carcinogen

STEL 1,000 ppm USA. OSHA - TABLE Z-1 Limits for
2,400 mg/m³ Air Contaminants - 1910.1000

The acetone STEL does not apply to the cellulose acetate fiber industry. It is in effect for all other sectors.

TWA 1,000 ppm USA. Occupational Exposure Limits
2,400 mg/m³ (OSHA) - Table Z-1 Limits for Air
Contaminants

The value in mg/m³ is approximate.

TWA 250 ppm USA. NIOSH Recommended
590 mg/m³ Exposure Limits

TWA 750 ppm USA. OSHA - TABLE Z-1 Limits for
1,800 mg/m³ Air Contaminants - 1910.1000

Propane cas#:(74-98-6) [10-20%]

Components with workplace control parameters

TWA 1,000 ppm USA. ACGIH Threshold Limit Values
(TLV)

Central Nervous System impairment
Cardiac sensitization

TWA 1,000 ppm USA. Occupational Exposure Limits
1,800 mg/m³ (OSHA) - Table Z-1 Limits for Air
Contaminants

The value in mg/m³ is approximate.

TWA 1,000 ppm USA. OSHA - TABLE Z-1 Limits for
1,800 mg/m³ Air Contaminants - 1910.1000

TWA 1,000 ppm USA. NIOSH Recommended
1,800 mg/m³ Exposure Limits

Butane cas#:(106-97-8) [10-20%]

Air Essentials -Orange Slice

SDS Number: AE60A

Revision Date: 4/19/2022

Page 5 of 14

Components with workplace control parameters

TWA 800 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants -
1,900 mg/m³ 1910.1000

TWA 1,000 ppm USA. ACGIH Threshold Limit Values (TLV)

TWA 1,000 ppm USA. ACGIH Threshold Limit Values (TLV)
Central Nervous System impairment Cardiac sensitization

TWA 800 ppm USA. NIOSH Recommended Exposure Limits
1,900 mg/m³

Also see specific listing for Isobutane.

9	PHYSICAL AND CHEMICAL PROPERTIES
----------	---

Appearance:	Aerosol	Flash Point:	-156 Deg F (-104.44 Deg C) Propellant estimated
Physical State:	Liquid	VOC:	25.12%
Spec Grav./Density:	(H2O=1): 0.17 g/cm ³ estimated		
Flammability:	Extremely Flammable		

10	STABILITY AND REACTIVITY
-----------	---------------------------------

Chemical Stability:	Stable and non-reactive under normal conditions of use, storage and transport.
Conditions to Avoid:	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Materials to Avoid:	Strong oxidizing agents. Fluorine. Chlorine. Nitrates.
Hazardous Decomposition:	No hazardous decomposition products are known.
Hazardous Polymerization:	Will not occur

11	TOXICOLOGICAL INFORMATION
-----------	----------------------------------

Ingestion Expected to be a low ingestion hazard.

Inhalation My cause drowsiness and dizziness. Headache. Nausea, vomiting. Narcotic effects. Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes serious eye irritation.

May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of nose and throat. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Air Essentials -Orange Slice

SDS Number: AE60A

Revision Date: 4/19/2022

Page 6 of 14

2-Propanone cas#:(67-64-1) [50-100%]

Information on toxicological effects

Acute toxicity:

LD50 Oral - rat - 5,800 mg/kg Remarks: Behavioral:Altered sleep time (including change in righting reflex). Behavioral:Tremor.

LC50 Inhalation - rat - 8 h - 50,100 mg/m3

Inhalation: no data available

LD50 Dermal - guinea pig - 7,426 mg/kg

Skin corrosion/irritation: Skin - rabbit Result: Mild skin irritation - 24 h

Serious eye damage/eye irritation: Eyes - rabbit Result: Eye irritation - 24 h

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: AL3150000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
Kidney - Irregularities - Based on Human Evidence

Propane cas#:(74-98-6) [10-20%]

Information on toxicological effects

Acute toxicity: no data available

Inhalation: no data available

Dermal: no data available

Air Essentials -Orange Slice

SDS Number: AE60A

Revision Date: 4/19/2022

Page 7 of 14

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: TX2275000

Dizziness, Drowsiness, Unconsciousness

Butane cas#:(106-97-8) [10-20%]

Information on toxicological effects

Acute toxicity:

Oral LD50 no data available

Inhalation LC50 LC50 Inhalation - rat - 4 h - 658,000 mg/m³

Dermal LD50

Other information on acute toxicity

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Air Essentials -Orange Slice

SDS Number: AE60A

Revision Date: 4/19/2022

Page 8 of 14

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):
no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System):
no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Signs and Symptoms of Exposure: Central nervous system depression, giddiness, Shortness of breath, narcosis, Dermal contact with rapidly evaporating liquid could result in freezing of the tissues or frostbite., Exposure can cause numbness, tingling, and weakness in extremities., Cyanosis, Pulmonary edema. Effects may be delayed., Abdominal pain, Nausea, Vomiting

Synergistic effects: no data available

Additional Information:

RTECS: EJ4200000

Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester cas#:(77-83-8) [0.1-1%]

Information on toxicological effects

Acute toxicity:

Oral LD50 LD50 Oral - rat - 5,470 mg/kg Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Other. Behavioral:Somnolence (general depressed activity). Skin and Appendages: Other: Hair.

Inhalation LC50 no data available

Dermal LD50

Other information on acute toxicity

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Air Essentials -Orange Slice

SDS Number: AE60A

Revision Date: 4/19/2022

Page 9 of 14

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure (Globally Harmonized System):

no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. Causes skin irritation. Eyes Causes eye irritation.

Signs and Symptoms of Exposure: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional Information:

RTECS: MW5250000

Heptanoic acid, 2-propenyl ester cas#:(142-19-8) [0.1-1%]

Information on toxicological effects

Acute toxicity:

Oral LD50 LD50 Oral - rat - 500 mg/kg Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Ataxia.

LD50 Oral - mouse - 630 mg/kg

Inhalation LC50 no data available

Dermal LD50 LD50 Dermal - rabbit - 810 mg/kg

Other information on acute toxicity

Skin corrosion/irritation: Skin - Human - Mild skin irritation - 48 h

Skin - rabbit - Moderate skin irritation - 24 h

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Air Essentials -Orange Slice

SDS Number: AE60A

Revision Date: 4/19/2022

Page 10 of 14

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):
no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System):
no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Ingestion Toxic if swallowed. Skin Toxic if absorbed through skin. May cause skin irritation. Eyes May cause eye irritation.

Signs and Symptoms of Exposure: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional Information:

RTECS: MJ1750000

12

ECOLOGICAL INFORMATION

2-Propanone cas#:(67-64-1) [50-100%]

Information on ecological effects

Toxicity: no data available

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 13,500.00 mg/l - 48 h.
other aquatic invertebrates

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

Air Essentials -Orange Slice

SDS Number: AE60A

Revision Date: 4/19/2022

Page 11 of 14

Propane cas#:(74-98-6) [10-20%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

Butane cas#:(106-97-8) [10-20%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester cas#:(77-83-8) [0.1-1%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

Air Essentials -Orange Slice

SDS Number: AE60A

Revision Date: 4/19/2022

Page 12 of 14

Heptanoic acid, 2-propenyl ester cas#:(142-19-8) [0.1-1%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

13	DISPOSAL CONSIDERATIONS
-----------	--------------------------------

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

14	TRANSPORT INFORMATION
-----------	------------------------------

DOT

UN Number	UN 1950
UN Proper Shipping Name	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2.1
Label(s):	---
Packing Group:	II
Environmental Hazards:	No
Marine Pollutant	No
Special precautions for user:	Not regulated.

IMDG

UN Number	UN 1950
UN Proper Shipping Name	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2
Label(s):	---
EmS No.:	---
Packing Group:	---

Air Essentials -Orange Slice

SDS Number: AE60A

Revision Date: 4/19/2022

Page 13 of 14

Environmental Hazards: No
 Marine Pollutant No
 Special precautions for user: Not regulated.

IATA

UN Number UN 1950
 UN Proper Shipping Name Aerosols, flammable
 Transport Hazard Class(es)
 Class: 2.1
 Label(s): ---
 Packing Group: ---
 Environmental Hazards: No
 Marine Pollutant No
 Special precautions for user: Not regulated.

15	REGULATORY INFORMATION
-----------	-------------------------------

[%] RQ (CAS#) Substance - Reg Codes

 [50-100%] RQ(5000LBS), 2-Propanone (67-64-1) CERCLA, HAP, MASS, NJHS, OSHAWAC, PA, TOXICRCRA, TSCA, TXAIR, TXHWL

[10-20%] Propane (74-98-6) MASS, NJHS, OSHAWAC, PA, TSCA, TXAIR

[10-20%] Butane (106-97-8) MASS, NJHS, OSHAWAC, PA, TSCA, TXAIR

[0.1-1%] Oils, grapefruit (8016-20-4) TSCA

[0.1-1%] Terpenes and Terpenoids, grapefruit-oil (68917-32-8) TSCA

[0.1-1%] Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester (77-83-8) TSCA

[0.1-1%] Heptanoic acid, 2-propenyl ester (142-19-8) TSCA

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Regulatory Code Legend

 RQ = Reportable Quantity
 CERCLA = Superfund clean up substance
 HAP = Hazardous Air Pollutants
 MASS = MA Massachusetts Hazardous Substances List
 NJHS = NJ Right-to-Know Hazardous Substances
 OSHAWAC = OSHA workplace Air Contaminants
 PA = PA Right-To-Know List of Hazardous Substances
 TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List)
 TSCA = Toxic Substances Control Act
 TXAIR = TX Air Contaminants with Health Effects Screening Level
 TXHWL = TX Hazardous Waste List

16	OTHER INFORMATION
-----------	--------------------------

We believe the statements technical information and recommendations contained herein are reliable, but they are given

SDS

Air Essentials -Orange Slice

SDS Number: AE60A

Revision Date: 4/19/2022

Page 14 of 14

without warranty or guarantee of any kind.

N/A = Not available

N/D = Not determined

Revision Date: 4/19/2022