

**For use only on hard, non-porous,
non-food contact surfaces.**

LIFT OFF FOAMING GERMICIDAL CLEANER is designed for general cleaning, disinfecting and sanitizing in Homes, Nursing Homes, Hospitals, Institutions, Offices, Schools, Motels and Hotels.

In addition, **LIFT OFF FOAMING GERMICIDAL CLEANER** deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, basements, restrooms and other areas which are prone to odors caused by micro-organisms.

When used as directed, **LIFT OFF FOAMING GERMICIDAL CLEANER** demonstrates effective disinfection against Methicillin Resistant *Staphylococcus aureus* (MRSA), *Pseudomonas aeruginosa*, *Salmonella enterica* and *Staphylococcus aureus*. Efficacy tests have demonstrated that **LIFT OFF FOAMING GERMICIDAL CLEANER** is an effective one-step cleaner/disinfectant in the presence of organic soil (5% blood serum) with a 10-minute contact time.

Kills, Trichophyton interdigitale, the cause of Athlete's foot fungus, on hard, non-porous surfaces found in bathrooms.

SANITIZES - Kills 99% of *Escherichia coli*, *Klebsiella pneumoniae*, *Proteus vulgaris*, *Serratia marcescens*, *Staphylococcus aureus* (Staph) and Vancomycin-Resistant *Enterococcus faecalis* (VRE), on hard, non-porous, non-food contact surfaces with a 5-minute contact time.

No scrubbing. Non-abrasive. Great on Fiberglass and leaves a fresh clean scent.

This product is fungicidal against pathogenic fungi (*T. interdigitale*) when used as directed on hard, non-porous surfaces found in the bathroom, shower stall and locker room, or other hard, non-porous surfaces commonly contacted by bare feet.

MOLD AND MILDEWSTAT - LIFT OFF FOAMING GERMICIDAL CLEANER controls mold and mildew and the odors they cause on hard, non-porous, non-food contact surfaces.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISINFECTION, SANITIZATION, DEODORIZATION AND CLEANING

1. For heavily soiled areas, remove heavy soil or gross filth before treatment.
2. Shake Can Well Before and During Use.
3. Holding can 6 to 8 inches from surface, spray area until it is covered with a white foam. To disinfect, allow foam to remain wet for 10 minutes. To sanitize, allow foam to remain wet for 5 minutes. To only clean surface, wipe foam away after 1 to 2 minutes.
4. Wipe with wet cloth or sponge.

After disinfection/sanitization, a potable water rinse is required. Do not use to disinfect/sanitize appliance, refrigerator and microwave oven interiors. Do not use on dishes, glasses and utensils.

Bacteriostat - To kill bacteria on hard, non-porous, non-food contact surfaces, spray surface until covered with a white foam. Allow foam to remain wet for 10 minutes, then wipe clean.

Mold and Mildewstat - To control mold and mildew on pre-cleaned, hard, non-porous, non-food contact surfaces, spray surface until it is completely covered in foam. Let air dry. Repeat application at weekly intervals or when mildew growth reappears.



*** Kills HIV-1 on Hard, Pre-cleaned, Non-porous,
Non-food contact Environmental Surfaces**

ACTIVE INGREDIENTS:	
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chloride	0.1%
n-Alkyl (68% C12, 32% C14)	
dimethyl ethylbenzyl ammonium chloride	0.1%
OTHER INGREDIENTS	99.8%
TOTAL	100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Side Panel for First Aid and additional Precautionary Statements.

EPA REG. NO. 10900-57-34370

EPA EST. NO. 10900-OH-1 or 33915-MI-1

Refer to bottom of container for production facility.

Distributed By:

WECHEM, INC.

5734 Susitna Dr., Harahan, LA 70123

(504) 733-1152 • 1-800-426-0512

FAX: (504) 733-2218

NET WT. 19 OZ. (1 LB. 3 OZ.) 539 G

9/19

KILLS HIV ON PRE-CLEANED, HARD, NON-POROUS, NON-FOOD CONTACT ENVIRONMENTAL SURFACES AND OBJECTS PREVIOUSLY SOILED WITH BLOOD OR BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces or object with blood or body fluids, and in which the surfaces and objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV ON SURFACES AND OBJECTS SOILED WITH BLOOD OR BODY FLUIDS:

PERSONAL PROTECTION: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks and eye coverings.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant.

DISPOSAL OF INFECTIOUS MATERIALS: Autoclave blood and other body fluids and dispose of according to federal, state and local regulations for infectious waste disposal.

CONTACT TIME: Leave surface wet for **10 minutes**.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry area away from heat or open flame.
PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER HANDLING:** Do not puncture or incinerate. **IF EMPTY:** Place in trash or offer for recycling if available. This container may be recycled in the few but growing numbers of communities, where (steel) aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. Do Not Puncture! If recycling is not available, discard container in trash. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals.

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with the eyes, skin, or clothing. Thoroughly wash with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear safety glasses and rubber gloves.

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For medical emergencies, call the poison control center at 1-800-222-1222

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting. Incineration of container may cause explosion.

WARNING: Cancer-
www.P65Warning.ca.gov



LMC-28993000B